

# Promultis Varitilt Standard Plus

Electric Height and Tilt Adjustable Mobile Touchscreen Table. Ideal for Care Homes, Training Areas, Conference Rooms, Hospitality Suites, and more!



32" | 43" | 55" Screen Size

10 PCAP Touch Points

Integrated Android 13 OS

Lockable Castor Wheels

Electric Height & Tilt Adjustable

Fully Mobile with Optional Battery

Integrated Web Camera

3 Year Warranty

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



For more exciting multitouch products visit  
[www.promultis.info](http://www.promultis.info)  
or call +44 (0) 239 251 2794

## 32" Varitilt Standard Plus

SPECIFICATIONS	
Panel Size	32" TFT-LCD
Display Area (mm) Mode	699(W)x392.8(H) 16:9
Maximum Resolution	3840x2160
Display Colour	16.7M
Pixel Pitch (mm)	0.363(H)x0.363(V)
Brightness (nits)	350cd/m <sup>2</sup>
Contrast	2000:1
Visual Angle	178°/178°
Response Time	5ms
Life (hours)	>60,000(hrs)
INPUT & OUTPUT	
Web Camera	5MP
OPS Slot	1
HDMI	3
USB	2
VGA	1
Lan	1
Audio	1
RS232	1
Speaker	2 x 5W (9Ω)
VIDEO	
Colour System	PAL/NTSC/SECAM

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]



Made in the UK

For more exciting multitouch products visit  
[www.promultis.info](http://www.promultis.info)  
 or call +44 (0) 239 251 2794

## 32" Varitilt Standard Plus

POWER	
Power supply	AC100~240V 50 /60 HZ
Maximum power consumption	≤100W
Standby power consumption	<5W
TEMPERATURE	
Working temperature	0 °C ~ 50 °C
Storage temperature	-20 °C ~ 60 °C
Working humidity	85%
Storage humidity	85%
ANDROID SPECIFICATIONS	
Andriod system	Google Android 13 support multi-language
Ram	4G DDR4
CPU	4-core ARM Cortex-A55/2.0Ghz
Rom	32G
APPEARANCE	
Colour/appearance	White, black, customised
Case	Metal case SPCC
Installation	Wall mount
Quality Standard	CE, CCC
TOUCH PANEL	
Specification	Projected Capacitive Touch
Positioning accuracy	±2mms
Transmittance	≥92%

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]



Made in the UK

For more exciting multitouch products visit  
[www.promultis.info](http://www.promultis.info)  
 or call +44 (0) 239 251 2794

## 32" Varitilt Standard Plus

Hardness	7H
Click manner	10 Touch Points
Response time	≤10ms
Life time	More than 600 million times
<b>DETAILED FUNCTIONS</b>	
Video format	MPEG1/MPEG2/MPEG4/DivX/ASP/WMV/AVI
Audio format	Wave/MP3/WMA/AAC
Image format	JPEG/BMP/TIFF/PNG/GIF
Image resolution	480P/720P/1080P/2160P

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]



Made in the UK

For more exciting multitouch products visit  
[www.promultis.info](http://www.promultis.info)  
or call +44 (0) 239 251 2794

## 43" Varitilt Standard Plus

SCREEN	
Visible Area	43" (941mm x 529mm)
Resolution	3840 x 2160 UHD
Contrast Ratio	3000:1
Brightness (Nits)	350
Response Time	5ms
Viewing Angle	Horizontal & Vertical 178°
Colours	16.7M (8bit)
Lifespan	>60,000(hrs)
CHASSIS FEATURES	
Material	Metal & Aluminium
Glass	Tempered Glass (3mm)
Colour	Black
Dimensions (mm)	H: 594 X W: 1006 X D: 46
Package Dimensions	H: 695 X W: 1080 X O: 180
Weight (Approx) (KG)	94KG (no battery) / 102KG (with battery)
Touch Technology	10 Projected Capacitive Touch Points
MAIN BOARD	
CPU	4-core ARM Cortex-A55/2.0Ghz
Ram	4G DDR4
Rom	32G
Android Version	Google Android 13 support multi-language
CONNECTIVITY	

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]



Made in the UK

For more exciting multitouch products visit  
[www.promultis.info](http://www.promultis.info)  
 or call +44 (0) 239 251 2794

### 43" Varitilt Standard Plus

HDMI	3
Headphone Output(s)	1 (Mini Jack)
USB 2.0 Port(s)	2
LAN Port(s)	1
SD	1 (Micro SD)
Camera	5MP
<b>SOUND</b>	
Audio Power Output (RMS)	5Wx2
Speaker Position	Left & Right
<b>OTHER</b>	
Input Voltage	AC100~240V 50/60HZ
Power Consumption (In Operation)	≤120W
Power Consumption (In Standby)	<5W

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]



Made in the UK

For more exciting multitouch products visit  
[www.promultis.info](http://www.promultis.info)  
or call +44 (0) 239 251 2794

## 55" Varitilt Standard Plus

SPECIFICATIONS	
Panel size	55" TFT-LCD
Display area(mm)/mode	1209(W)x680(H) 16:9
Maximum resolution	3840x2160
Display colour	16.7M
Pixel Pitch (mm)	0.43(H)x0.43(V)
Brightness (nits)	350cd/m <sup>2</sup>
Contrast	3000:1
Visual angle	178°/178°
Response time	5ms
Life (hrs)	>60,000(hrs)
INPUT & OUTPUT	
Web camera	5MP
OPS slot	1
HDMI	3
USB	2
VGA	1
Lan	1
Audio	1
RS232	1
Speaker	2x5W(9Ω)
VIDEO	
Colour System	PAL/NTSC/SECAM

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]



Made in the UK

For more exciting multitouch products visit  
[www.promultis.info](http://www.promultis.info)  
 or call +44 (0) 239 251 2794

## 55" Varitilt Standard Plus

POWER	
Power Supply	AC100~240V 50 /60 HZ
Maximum Power Consumption	≤160W
Standby Power Consumption	<5W
TEMPERATURE	
Working Temperature	0 °C ~ 50 °C
Storage Temperature	-20 °C ~ 60 °C
Working Humidity	85%
Storage Humidity	85%
ANDROID SPECIFICATIONS	
Android System	Google Android 13 support multi-language
Ram	4G DDR4
CPU	4-core ARM Cortex-A55/2.0 Ghz
Rom	32G
APPEARANCE	
Colour / Appearance	White, black, customised
Case	Metal case SPCC
Installation	Wall mount
Quality Standard	CE, CCC
TOUCH PANEL	
Specification	Projected Capacitive Touch
Positioning Accuracy	±2mms
Transmittance	≥92%

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]



Made in the UK

For more exciting multitouch products visit  
[www.promultis.info](http://www.promultis.info)  
 or call +44 (0) 239 251 2794

## 55" Varitilt Standard Plus

Hardness	7H
Click Manner	10 Touch Points
Response Time	<10ms
Life Time	More than 600 Million Times
DETAILED FUNCTIONS	
Video Format	MPEG1/MPEG2/MPEG4/DivX/ASP/WMV/AVI
Audio Format	Wave/MP3/WMA/AAC
Image Format	JPEG/BMP/TIFF/PNG/GIF
Image Resolution	480P/720P/1080P/2160P

Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]




Made in the UK


For more exciting multitouch products visit  
[www.promultis.info](http://www.promultis.info)  
or call +44 (0) 239 251 2794

# 32" Varitilt Standard Plus


Front view (flat & lowest setting)



Front view (tilted & highest setting)



Side view (flat & lowest setting)



Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]




Made in the UK


For more exciting multitouch products visit  
[www.promultis.info](http://www.promultis.info)  
or call +44 (0) 239 251 2794

# 43" Varitilt Standard Plus


Front view (flat & lowest setting)



Front view (tilted & highest setting)



Side view (flat & lowest setting)



Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]




Made in the UK


For more exciting multitouch products visit  
[www.promultis.info](http://www.promultis.info)  
or call +44 (0) 239 251 2794

# 55" Varitilt Standard Plus


Front view (flat & lowest setting)



Front view (tilted & highest setting)



Side view (flat & lowest setting)



Note: Product design specifications including dimensions are subject to change without notice and may vary from those shown. Please call us for the most up to date specifications and dimensions.



[promultis]



Made in the UK

For more exciting multitouch products visit  
[www.promultis.info](http://www.promultis.info)  
or call +44 (0) 239 251 2794